

# DROP 4427-VDX / VDXA

PROJECT PROJÉT
SPEC TYPE
NOTES




## FAMILY FAMILLE



3215/3215B

4234-VDX/VDXA




ORDERING SPECIFICATION	SPÉCIFICATION DE COMMANDE	CODE
<b>MODEL</b> MODÈLE		
4427-3	DROP 3 (3 X SHADES)	
4427-6	DROP 6 (6 X SHADES)	
<b>SHADE OPTION</b> OPTION D'ABAT-JOUR		
VDX	DELTA	
VDXA	DELTA (ACRYLIC DIFFUSER)	
<b>LIGHT SOURCE</b> SOURCE LUMINEUSE		
(WATTAGE, LAMP TYPE, LAMP FORM, BASE TYPE, OTHER INFO)		
CF.L.36	36W, CFL, LONG TWIN TUBE T5, 2G11 BASE	
LED	REGULAR OUTPUT	
LED.HO	HIGH OUTPUT	
<b>COLOR TEMPERATURE</b> TEMPÉRATURE DE COULEUR		
FOR LED ONLY		
30	3000K	
35	3500K	
40	4000K	
<b>VOLTAGE</b> VOLTAGE		
120V	120 VOLT	
277V	277 VOLT	
<b>DIMMING OPTION</b> OPTION DE GRADATION		
FOR LED ONLY		
DV	0-10V DIMMING (120-277V)	
<b>CABLE</b> CABLE		<b>AC</b>
AC	AIRCRAFT MOUNTING & CLEAR CABLE, FIELD ADJUSTABLE	
<b>CABLE LENGTH</b> LONGUEUR DE CABLE		
60	60" AIRCRAFT CABLE (STD LENGTH)	
**	CUSTOM AIRCRAFT CABLE LENGTH (PLEASE SPECIFY)	
FOR OVERALL LENGTH PLEASE CONTACT YOUR EUREKA REPRESENTATIVE.		
<b>STRUCTURE FINISH</b> FINI STRUCTURE		<b>CHR</b>
CHR	CHROME	
<b>DIFFUSER FINISH</b> FINI DIFFUSEUR		<b>WH</b>
WH	WHITE	

## PRODUCT CHARACTERISTICS CARACTÉRISTIQUES DU PRODUIT





<b>DESIGN:</b>	Drop is a beautiful chrome canopy platform designed to suspend groups of 3 or 6 selected fixtures.
<b>INSTALLATION:</b>	Mounts on standard junction boxes, and comes with support hook for easy installation.
<b>LIGHT SOURCE:</b>	LED and other fluorescent with dimming available for LED.
<b>STRUCTURE:</b>	Spun steel with a chrome finish.
<b>CERTIFIED:</b>	c-CSA-us
<b>CONCEPTION:</b>	Drop est une jolie plate-forme chromée pour 3 ou 6 suspensions de luminaires sélectionnés.
<b>INSTALLATION:</b>	Des crochets de support sont fournis pour faciliter l'installation sur une boîte de jonction standard.
<b>SOURCE LUMINEUSE:</b>	DEL et fluorescent avec options de gradation offerts pour DEL.
<b>STRUCTURE:</b>	Pavillon en acier repoussé et chromé.
<b>CERTIFIÉ:</b>	c-CSA-us




### EASY INSTALLATION

- Heavy duty bracket that mounts on standard junction box
- Comes with support hooks for easy installation
- Extra mounting points to reinforce




### CANOPY

Spun steel with Chrome finish





### SIMPLE

Canopy houses all electrical components for quick assembly



SUSPENSION  
60 inch of cable

### CANOPY CONFIGURATION




LUMINAIRES	CODE	NB. DE LUM.	WATT MAX.												
			SOURCE LUMINEUSE				DEL		FLUO		HAL		INC		
			DEL	FLUO	HAL	INC	3	6	3	6	3	6	3	6	
VEGA	XBL	3	6	X				33W	66W						
ALVER	MCC	3	6	X			X	12W	24W					180W	360W
ROLO PENDANT	MAD	3	6	X		X		12W	24W			150W	300W		
SPROKET	CFD	3	6	X		X		12W	24W			150W	300W		
MEHA	UAC	3	6	X				12W	24W						
FACET	UFC	3	6	X				12W	24W						
SILENE	JDJ/JDJA/JMJ	3	6	X	X			12W	24W	78W	156W				
FASIL	XB/XBA	3	6	X	X			33W	66W	96W	192W				
DELTA	VDP/VDPA	3	6	X	X			33W	66W	96W	192W				
SENET	XFY	3		X	X			45W		108W					
DELTA	VDX/VDXA	3	6	X	X			45W	90W	108W	216W				
SHAKER	QFI	3		X		X	X	12W				150W		180W	





225 de Liège Ouest, Suite #200  
 Montréal (QC), Canada H2P 1H4  
 Tel : 514.385.3515 Fax : 514.385.4169  
[www.eurekalighting.com](http://www.eurekalighting.com)




4427




**INSTALLATION FACILE ET ROBUSTE**  
 - Crochets de support fournis pour faciliter l'installation sur une boîte de jonction standard  
 - Trous de montage supplémentaires pour renforcer la structure



**PAVILLON**  
 Acier repoussé et chromé





**SIMPLE**  
 Jolie plate-forme chromée pouvant accueillir de 3 à 6 luminaires



**SUSPENSION**  
 60 pouces de câble

## DIMENSIONS DISPONIBLE



LUMINAIRES	CODE	NB. DE LUM.	WATT MAX.													
			SOURCE LUMINEUSE				DEL		FLUO		HAL		INC			
			DEL	FLUO	HAL	INC	3	6	3	6	3	6	3	6		
VEGA	XBL	3	6	X				33W	66W							
ALVER	MCC	3	6	X			X	12W	24W						180W	360W
ROLO PENDANT	MAD	3	6	X		X		12W	24W			150W	300W			
SPROKET	CFD	3	6	X		X		12W	24W			150W	300W			
MEHA	UAC	3	6	X				12W	24W							
FACET	UFC	3	6	X				12W	24W							
SILENE	JDJ/JDJA/JMJ	3	6	X	X			12W	24W	78W	156W					
FASIL	XB/XBA	3	6	X	X			33W	66W	96W	192W					
DELTA	VDP/VDPA	3	6	X	X			33W	66W	96W	192W					
SENET	XFY	3		X	X			45W		108W						
DELTA	VDX/VDXA	3	6	X	X			45W	90W	108W	216W					
SHAKER	QFI	3		X		X	X	12W				150W		180W		